



Shenzhen Neo-energy Photoelectric Co., Ltd.

Websites: caheung.1688.com

Authorised Partner in Poland :

Add.: 2/F, No. 6, Dongda Road, Dongkeng, Guangming New District, Shenzhen, Guangdong, China.




Pro-Sun Sp. z o.o., Łódź ul. Franciszkańska 125, tel. 500 623 627; biuro@pro-sun.com.pl; www.pro-sun.com.pl



Attn: Crystal Hou E-mail: crystal@neo-energyled.com Mob. / WeChat: +86 152 7081 4924
Tel.: +86-755-27405429 Fax: +86-755-2740542



All-in-one Solar Street Light - DGA3 Series

Date: 2018-12-14					Price Term: EXW Price
Model No.	LED Power	Reference picture	Product parameters	Unit Price	Packing Size
		DGA3 Series			
CH-DGA3-20	20W		1. Material: aluminum alloy		1. Net weight: 8kg 2. Gross weight: 9kg 3. Product size: 520*331*140mm 4. Carton size: 560*385*180mm
			2. Solar panel power: 40W(High efficiency monocrystalline silicon)		
			3. LED light: 20W (Philips)		
			4. Lithium battery: 14AH 11.1V		
			5. Luminous flux: 3000-3200lm		
			6. Working time: 3-5 days		
			7. Control mode: light / timing / PIR / timing + PIR mode		
			8. Installation height: 4-5m		
			9. Install distance: 12-14m		
			10. Protection grade: IP65		
			11. Certificates: CE, RoHS, FCC, SGS		
CH-DGA3-30	30W		1. Material: aluminum alloy		1. Net weight: 10kg 2. Gross weight: 11kg 3. Product size: 520*331*140mm 4. Carton size: 560*385*180mm
			2. Solar panel power: 40W(High efficiency monocrystalline silicon)		
			3. LED light: 30W (Philips)		
			4. Lithium battery: 16AH 11.1V		
			5. Luminous flux: 4500-4800lm		
			6. Working time: 3-5days		
			7. Control mode: light / timing / PIR / timing + PIR mode		
			8. Installation height: 5-6m		
			9. Install distance: 14-16m		
			10. Certificates: CE, RoHS, FCC, SGS		
CH-DGA3-40	40W		1. Material: aluminum alloy		1. Net weight: 12kg 2. Gross weight: 13kg 3. Product size: 620*331*140mm 4. Carton size: 660*385*180mm
			2. Solar panel power: 50W(High efficiency monocrystalline silicon)		
			3. LED light: 40W (Philips)		
			4. Lithium battery: 18AH 11.1V		
			5. Luminous flux: 5100-5500lm		
			6. Working time: 3-5days		
			7. Control mode: light / timing / PIR / timing + PIR mode		
			8. Installation height: 6-7m		
			9. Install distance: 16-19m		
			10. Certificates: CE, RoHS, FCC, SGS		

CH-DGA3-50	50W		1.Material: aluminum alloy 2.Solar panel power: 70W(High efficiency monocrystalline silicon) 3. LED light: 50W (Philips) 4. Lithium battery: 22AH 11.1V 5. Luminous flux: 6200-6500lm 6. Working time: 3-5days 7. Control mode: light / timing / PIR / timing + PIR mode 8. Installation height: 7-8m 9. Install distance: 19-23m 10. Protection grade: IP65 11.Certificates: CE, RoHS, FCC, SGS		1. Net weight: 16kg 2. Gross weight: 18kg 3. Product size: 890*331*140mm 4. Carton size: 930*385*180mm
CH-DGA3-60	60W		1.Material: aluminum alloy 2.Solar panel power: 70W(High efficiency monocrystalline silicon) 3. LED light: 60W (Philips) 4. Lithium battery: 28AH 11.1V 5. Luminous flux: 6900-7600lm 6. Working time: 3-5 days 7. Control mode: light / timing / PIR / timing + PIR mode 8. Installation height: 7-8m 9. Install distance: 23-27m 10. Protection grade: IP65 11.Certificates: CE, RoHS, FCC, SGS		1. Net weight: 19kg 2. Gross weight: 21kg 3. Product size: 890*331*140mm 4. Carton size: 930*385*180mm
CH-DGA3-80	80W		1.Material: aluminum alloy 2.Solar panel power: 90W(High efficiency monocrystalline silicon) 3. LED light: 80W (Philips) 4. Lithium battery: 34AH 11.1V 5. Luminous flux: 9700-10000lm 6. Working time: 3-5days 7. Control mode: light / timing / PIR / timing + PIR mode 8. Installation height: 8-9m 9. Install distance: 27-30m 10. Protection grade: IP65 11.Certificates: CE, RoHS, FCC, SGS		1. Net weight: 21kg 2. Gross weight: 22.5kg 3. Product size: 1000*331*140mm 4. Carton size: 1045*385*180mm

CH-DGA3-100	100W		<ul style="list-style-type: none"> 1. Material: aluminum alloy 2. Solar panel power: 120W(High efficiency monocrystalline silicon) 3. LED light: 100W (Philips) 4. Lithium battery: 38AH 11.1V 5. Luminous flux: 11300-11600lm 6. Working time: 3-5 days 7. Control mode: light / timing / PIR / timing + PIR mode 8. Installation height: 8-9m 9. Install distance: 30-33m 10. Protection grade: IP65 11. Certificates: CE, RoHS, FCC, SGS 		<ul style="list-style-type: none"> 1. Net weight: 22kg 2. Gross weight: 24kg 3. Product size: 1298*398*140mm 4. Carton size: 1340*440*180mm
CH-DGA3-120	120W		<ul style="list-style-type: none"> 1. Material: aluminum alloy 2. Solar panel power: 120W(High efficiency monocrystalline silicon) 3. LED light: 120W (Philips) 4. Lithium battery: 42AH 11.1V 5. Luminous flux: 13530-14000lm 6. Working time: 3-5days 7. Control mode: light / timing / PIR / timing + PIR mode 8. Installation height: 9-10m 9. Install distance: 30-35m 10. Protection grade: IP65 11. Certificates: CE, RoHS, FCC, SGS 		<ul style="list-style-type: none"> 1. Net weight: 23kg 2. Gross weight: 25kg 3. Product size: 1298*398*140mm 4. Carton size: 1340*440*180mm
Remarks :					
1. Delivery time : 6-8 weeks from the order					
2. Above price doesn't include pole, installation fee.					
3. Warranty: 3 years for the whole light.					